

UT361/UT362 SERIES ANEMOMETER

UT361

Features:

- Large LCD display with back light
- Velocity/temperature dual display
- Velocity/Wind count measurement
- MAX/MIN/AVERAGE reading
- Multi-unit reading
- Temperature measurement
- Auto record, up to 2044 data can be stored, user definable recording time interval
- Low battery indication
- Data hold function
- Auto power off

Specifications

FUNCTION	MEASUREMENT RANGE	BEST ACCURACY
Wind Speed	2 ~ 10m/s 10 ~ 30m/s	+/-3%+5digit +/-3%+8digit
Wind Count	0.001 ~ 9999x10 CMM 0.001 ~ 9999x10 CFM	-
Temperature	Mainframe: 0°C ~ 40°C 32°F ~ 104°F	+/-3°C +/-4°F
	Sensor: 0°C ~ 40°C 30°F ~ 104°F	+/-3°C +/-4°F
Size/Weight	162x78x30mm/375g	
Power Source	9V 6F22 x 1	

Standard accessories

- 1) Battery
- 2) Carrying bag
- 3) USB cable and Windows software(UT362 only)
- 4) Operation manual



UT362

Features:

- Large LCD display with back light
- Velocity/temperature dual display
- Velocity/Wind count measurement
- MAX/MIN/AVERAGE reading
- Multi-unit reading
- Temperature measurement
- Auto record, up to 2044 data can be stored, user definable recording time interval
- USB interface, supplied with Windows software
- Low battery indication
- Data hold function
- Auto power off

Specifications

FUNCTION	MEASUREMENT RANGE	BEST ACCURACY
Wind Speed	2 ~ 10m/s 10 ~ 30m/s	+/-3%+5digit +/-3%+8digit
Wind Count	0.001 ~ 9999x10 CMM 0.001 ~ 9999x10 CFM	-
Temperature	Mainframe: 0°C ~ 40°C 32°F ~ 104°F	+/-3°C +/-4°F
	Sensor: 0°C ~ 40°C 30°F ~ 104°F	+/-3°C +/-4°F
Size/Weight	162x78x30mm/375g	
Power Source	9V 6F22 x 1	

DIGINDT.IR
FGJ-NDT.IR

+982165565901

+982144584619

+989034119385

Tehran, Tehransar